



# GIBUS

Viva

## Sloped Retractable Aluminium Pergola.



**Maximum single unit dimensions :** 6.9m by 4.25m



**Honesty**  
Full price transparency online.



**Design Team**  
Helping you create your dream



**Install network**  
Options nationwide with flexible coverage




**Peace Of Mind**  
Available across all products

Med Viva : Sloped Retractable Fabric Pergola

Roof System: Retractable

Page 1 of 2




 **Video**

Excellent performance and classic in design to quickly and elegantly extend your outdoor living space. Sloped fabric roof supported by a seamless aluminium frame with strong refined lines. Wall or ceiling mounted and freestanding versions available.

**In Summary**

Sloped waterproof black-out PVC coated polyester fabric roof with the ability the partially or fully retract. An integrated guttering system on the front rails covers all water drain off. The supporting profile is 70x130mms in powder coated aluminium. The ability to attach multiple modules to cover a large outdoor area.



**Average Cost Per Square Metre** (inc VAT)

	Width →			
Projection ↓	< 3m	< 4m	< 5m	< 6m
< 3m	£850	£700	£600	£550
< 4m	£650	£550	£450	£400
< 5m	£550	£500	£400	£350
< 6m	£500	£400	£350	£350
< 7m	£450	£400	£350	£300

**Example**

Width = 4.5m  
Projection = 4.5m



→ 20.25m<sup>2</sup> coverage  
→ ~ £400 per m<sup>2</sup>

Estimate cost of  
£8,100 inc VAT

**Med Viva : Sloped Retractable Fabric Pergola**

Roof System: Retractable

Page 2 of 2

**Popular Options****Integrated LED Spots**

Rectangular LED spotlights integrated in the section bars. Arranged every 50 cm in groups of 6 per light point, each LED 0.5 Watt for a total of 3 Watts.

**LED Linear with Clips**

Linear LED bars can be applied under the section bars with clips. Made of 12 LEDs per meter with a power of 6 Watts. They can also be installed after installation.

**LED Spot Wall Bar**

LED spotlights integrated in an aluminium bar that can be applied on the wall or inside the structure by the means of brackets.

**Drop Blinds**

Rectangular LED spotlights integrated in the section bars. Arranged every 50 cm in groups of 6 per light point, each LED 0.5 Watt for a total of 3 Watts.

**Glisse Sliding Glass Walls**

Linear LED bars can be applied under the section bars with clips. Made of 12 LEDs per meter with a power of 6 Watts. They can also be installed after installation.

**Skate Folding Glass Walls**

LED spotlights integrated in an aluminium bar that can be applied on the wall or inside the structure by the means of brackets.