

GIBUS

MedJoy

Bioclimatic Aluminium Pergola.

Maximum single unit dimensions : 6.9m bt 4.25m



Honesty
Full price transparency online.



Design Team
Helping you create your dream




Install network
Options nationwide with flexible coverage



Peace Of Mind
Available across all products



Video link: <https://youtu.be/vhqHEGuBA4U>



The Med Joy is the new slim, narrow bioclimatic pergola from the Gibus range. Perfect for terraces and small gardens. With motorised adjustable aluminium louvre blades to allow complete control of the internal environment. Optional fitting of vertical shade screens or glass walls, heaters and LED lighting.

Product Features

The louvre blades are able to rotate to any position within a range of 0-120° allowing for your preferred lighting and to release or capture heat. The aluminium 13x13cm square upright posts have a 25cm perimeter with a frame height of 240cm. With the Med Joy being a very versatile product it offers a wide range of combinations allowing for total freedom of configuration.



Average Cost Per Square Meter (inc VAT)

	Width →		
Projection ↑	< 3m	< 4m	< 5m
< 3m	£1,500	£1,200	£1,050
< 4m	£1,250	£1,000	£900
< 5m	£1,100	£900	£800
< 6m	£1,000	£850	£750
< 7m	£1,000	£800	£700


Example

Width = 4.5m
Projection = 4.5m

→ 20.25m² coverage
→ ~ £750 per m²

Estimate cost of
£15,187 inc VAT

Key Features



Rain Protection

The blades in the closed position effectively protect against rain, dispatching rainwater into the drainage channels



Sun Protection

The aluminium cover gives optimal protection of direct sun radiation, allowing full control of the amount of light that filters inside



Ventilation

A pleasant and cooling breeze is enjoyed by slightly opening the blades to create the natural flow of air that rises.

Popular Options



Drops Blinds

Blind in self-supporting vertical box cassette with guides including ZIP system for complete wind and rain protection.



Glisse Sliding Glass Walls

Sliding glass walls on stainless steel tracks, in 2, 3 or 4 way solutions and up to 8 doors without perimeter profiles. Toughened safety glass from 10 to 12mm thick



Skate Folding Glass Walls

Sliding and folding wall panels made of toughened 10mm safety glass without perimeter profiles.



RGB LED Strips

RGB LED strips applied along the inside perimeter. Set a single colour choice from 7 options: white, yellow, orange, red, green, blue and purple. Or create your own light program.



Perimeter LED Spots

Rectangular LED spotlights integrated inside the perimeter gutter of the structure. Arranged every 50 cm in groups of 6 per light point, each 3 Watts.



Blade LED Spots

Rectangular 3 watt LED spotlights integrated inside the blades to guarantee excellent light distribution over the entire surface covered.